

SSN = 10 (CCIR)

## Propagation HF March 2010 (Southern Norway)

100 W CW and 3 dBi antenna gain

Blue: Need up to + 10 dB gain. Red: Need 10 - 20 dB gain. Green: Best time. Underline: long path

Station	Time (UTC)																							
	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
W2 New York	80	80	40	80	80	80	40	40	40	30	30	20	20	17	20	20	20	20	30	30	30	40	40	40
W6 San Francisco	40	40	40	40	40	40	40	40	40	40	40	40	40	40	30	30	30	20	20	20	20	20	30	40
KH6 Hawaii	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	20	20	20	-	-	-	-	-
ZL Wellington	-	-	-	-	20	20	20	17	17	20	20	20	20	20	20	30	30	30	-	-	-	-	-	-
VK Perth	-	-	-	-	-	17	17	15	15	15	15	15	17	17	17	20	20	20	30	30	30	30	30	40
JA Tokyo	40	-	-	30	20	20	20	20	20	20	20	20	20	30	30	30	40	40	40	40	40	40	40	40
VR Hong Kong	40	40	-	-	20	17	17	17	17	17	17	20	20	20	30	30	30	40	40	40	40	40	40	40
YB Jakarta	40	30	-	20	17	17	15	15	15	15	15	15	17	17	20	20	30	30	40	40	40	30	40	40
4S Colombo	40	40	40	30	20	17	17	15	15	17	17	17	17	17	20	20	30	30	40	30	30	30	40	40
ZS Pretoria	30	30	40	30	30	20	17	15	15	15	12	12	12	15	17	17	17	20	20	30	30	30	30	30
5Z Nairobi	30	40	30	40	20	20	15	17	12	12	12	12	12	20	17	15	20	30	20	40	30	30	30	30
4X Tel Aviv	30	40	30	30	20	17	15	20	12	12	15	12	20	20	20	15	17	30	20	30	30	30	30	30
CT3 Madeira	30	30	30	30	80	30	20	17	20	20	20	20	15	15	15	15	15	30	40	20	30	30	30	
LU Buenos Aires	30	30	40	40	40	40	30	30	30	17	15	15	17	17	17	17	17	17	17	20	30	30	30	30
OA Lima	40	40	40	40	40	40	30	30	40	30	20	17	17	17	17	17	17	17	17	17	20	30	30	30
YV Caracas	40	40	40	40	80	40	40	40	40	30	30	20	17	17	17	17	17	17	17	17	20	30	40	40

Produced 6/2/2010 by LA5MDA Bjørn Henrik Vangstein. Based on VOACAP version 07.10251 (with method 30)

### DEFINITION OF AN EXPECTED OPENING

Expected openings are defined as SNR  $\geq$  24 dB (a), MUFDay  $\geq$  50% (b) REL  $\geq$  50% (c)

Multipath tolerance 10 dB, multipath delay tolerance = 0.85 ms (which is rather tolerant).

- Required SNR is taken over 1 Hz bandwidth. This equals SNR = 0 dB with 250 Hz bandwidth filter and demodulation.
- MUFDay is the fraction of days where the frequency is below MUF for the given date and hour. 50% means 15 days pr month.
- REL means the fraction of days where the SNR is equal or above required SNR for the given date and hour.

### Green boxes

Green boxes indicate best hour. This is the time and band with the highest likelihood for a usable opening. SNR, MUFDay and Rel are taken into account.

### Red numbers

Red numbers indicates openings which require SNR a low as 14 dB to simulate 10 dB added circuit gain. This equals increased transmitter power up to 1 kW or an antenna with up to 13 dBi.

### Locations

The locations/QTHs used are the same as in the NCDXF beacon network for easy comparison with real life propagation on 20, 17, 15, 12 and 10 m. (Finland and Ural was omitted, and Jakarta was added.) The VOACAP input parameters are verified with long term real on-air measurements using vertical antenna (R-8), Windom FD-4, Kenwood TS-930S transceiver and logging with Faros (ver 1.0) NCDXF beacon software.

### SSB versus CW

As indicated, the forecast is calculated for CW communications. In VOACAP the limit where CW communication is possible is set to SNR = 0 dB after filtering and demodulation. Several factors are taken into account when this limit was set – both the required bandwidth with this modulation and the nature of the signals readability. If you can communicate with CW, communication with PSK31 and RTTY is also possible. Theoretically PSK31 need less bandwidth and hence less signal strength, but often the power used in PSK31 is less than (maybe 20 – 50 %) on CW. Hence calculations for CW also apply to digimodes. SSB is a more demanding mode. Because it requires more bandwidth and is less explicit to read, more than 10 dB must be added to the circuit. Hence this forecast is too optimistic for SSB, but neither power, antennas nor modes influence the choice of best band.

### **VOACAP INPUT PARAMETERS**

Transmitter antenna: Isotropic antenna with 3 dBi gain, minimum 1 degrees radiation angle

Receiver antenna: Isotropic antenna with 3 dBi gain, minimum 1 degrees radiation angle

Transmitter power: 100 W

Noise: - 150 dBW/Hz at 3 MHz (Rural environment)

Fprob: I have used the default E-, F1- and F2-layers settings (=1), but have not included sporadic E-layers. Sporadic E-layer effects have been taken into account where I have real life measures that imply that this tends to occur often.

Absorption model: Propagation predictions for 11/2007 and later are calculated with the old IONCAP absorption model because this corresponds better with practical on air experience.

### **Discussion of the input parameters: Choice of antenna and power**

Several set of input parameters have been tested and compared with real life signals from the NCDXF Beacon Network. Real life antenna models have also been tested with the 'HF Ant' software in VOACAP, but the isotropic antenna with 3 dBi and 100 W feed point power was the setting that matched the on air measurements best. Other arguments for choosing an isotropic antenna are:

- We do not know what kind of antenna the opposite station uses before we happen to make contact
- We do not really know what kind of characteristics our own antennas have - it's difficult to measure and you might have more than one.
- It is better to cover all possibilities (modes) and try than to exclude one that actually was possible
- The type of antenna and gain does not influence the MUF and probably not the best band unless you have a monobander which strongly is favouring one band.

If you have more gain (better antenna or more power) the openings might begin earlier and close later.

### **About the input parameters: SSN**

- The SSN used is the one that is predicted for the actual month.
- If the actual SSN is significantly higher over a period of many days, a higher band might be open. The openings at a given band might begin earlier and end later.
- If the actual SSN is significantly lower over a period of many days, a lower band might be a better choice. The openings at a given band might begin later and end earlier.